# Specifications

## Eaton FWP-4A14F

Eaton Bussmann series FWP high speed fuse, 700V (UL), 4A, 200 kAIC, Non Indicating, High speed fuse, Ferrule end X ferrule end, Class aR, White, Ceramic

| General specifications | |
|---|---|
| **PRODUCT NAME** | Eaton Bussmann series high speed cylindrical fuse |
| **CATALOG NUMBER** | FWP-4A14F |
| **UPC** | 051712795128 |
| **EAN** | 5027590500814 |
| **PRODUCT LENGTH/DEPTH** | 52 mm |
| **PRODUCT HEIGHT** | 15 mm |
| **PRODUCT WIDTH** | 15 mm |
| **PRODUCT WEIGHT** | 20.4 g |
| **WARRANTY** | Not Applicable |
| **COMPLIANCES** | CE Marked RoHS Compliant |
| **CERTIFICATIONS** | CSA Certified UL Recognized |
| **GLOBAL CATALOG** | FWP-4A14F |

**EAT•N**

*Powering Business Worldwide*

## Product specifications

| | |
|---|---|
| **USED WITH** | Finger safe holders/blocks and striker |
| **AMPERAGE RATING** | 4 A |
| **ACCESSORIES** | • CH14 Modular fuse holder<br>• FW14-PCB |
| **BREAKING CAPACITY** | 200 kA |
| **FREQUENCY RATING - MAX** | 62 Hz |
| **FREQUENCY RATING - MIN** | 45 Hz |
| **FUSE INDICATOR** | Non Indicating |
| **RELEASE CHARACTERISTIC** | Other |
| **UTILIZATION CATEGORY** | aR (accompanied semiconductor protection) |
| **VOLTAGE TYPE** | AC/DC |
| **FUSE SIZE** | 14 x 51 mm |
| **RATED VOLTAGE AC** | 700 V |
| **CLASS** | Class aR |
| **CLEARING (I2T)** | 0.23 |
| **WATT LOSSES** | 3 W |
| **FUSE SHAPE** | Cylindrical |
| **PRE ARC (I2T)** | 0.1 |
| **COLOR** | White |
| **INTERRUPT RATING** | 200 kAIC |
| **CONNECTION** | Ferrule end x ferrule end |
| **CONSTRUCTION SIZE** | 14 mm x 51 mm |
| **MATERIAL** | Ceramic |
| **PACKAGING TYPE** | Standard |
| **QUANTITY** | 10 |
| **VOLTAGE RATING** | 700 V |
| **TYPE** | High speed fuse |
| **APPLICATION** | Semiconductor, DC Common bus, DC drives, Power converters/rectifiers |
| **FUSE TYPE** | FWP-A14F |
| **BREAKING CAPACITY AT NOMINAL VOLTAGE, AC** | 200 kA |
| **BREAKING CAPACITY AT NOMINAL VOLTAGE, DC** | 50 kA |

## Resources

| | |
|---|---|
| CATALOGS | eaton-bussmann-series-iec-high-speed-fuses-catalogue-ca135001en-en-gb.pdf<br><br>Bussmann series complete full line catalog no. 1007 |
| DECLARATIONS OF CONFORMITY | eaton-high-speed-cylindrical-fuse-declaration-of-conformity-uk250904en.pdf<br><br>eaton-high-speed-cylindrical-fuse-declaration-of-conformity-eu250026en.pdf |
| TECHNICAL DATA SHEETS | 720025 FWP |

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**

Follow us on social media to get the latest product and support information.