


Product data sheet

Specifications



Auxiliary contact, TeSys integral, 2NO + 1NC, Right side

LA1LC020

 **Discontinued on:** Dec 31, 2023

Product availability: Non-Stock - Not normally stocked in distribution facility

 **Discontinued**

Main

Range	TeSys
Device short name	LA1LC
Product or Component Type	Auxiliary contact

Complementary

Range compatibility	TeSys TeSys Integral contactor breaker
Mounting Location	Right side
Auxiliary contacts operation	Instantaneous
Pole contact composition	2 NO + 1 NC contactor state
[Ui] rated insulation voltage	690 V
[Ith] conventional free air thermal current	6 A
Connections - terminals	screw clamp terminals 2 0.002 in² (1.5 mm²) screw clamp terminals 1 0.004 in² (2.5 mm²)
Net Weight	0.2 lb(US) (0.1 kg)

Environment

Environmental characteristic	Standard environment
------------------------------	----------------------

Ordering and shipping details

Category	US10I1122384
Discount Schedule	0I11
GTIN	3389110180145
Returnability	No
Country of origin	CZ

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.02 in (2.6 cm)
Package 1 Width	3.15 in (8.0 cm)
Package 1 Length	3.31 in (8.4 cm)
Package weight(Lbs)	3.5 oz (100.0 g)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 2	S01
Number of Units in Package 2	26
Package 2 Height	5.91 in (15.0 cm)
Package 2 Width	5.91 in (15.0 cm)
Package 2 Length	15.75 in (40.0 cm)
Package 2 Weight	6.213 lb(US) (2.818 kg)

Contractual warranty

Warranty	18 months
----------	-----------


Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
EU RoHS Directive	Compliant