

# Product data sheet

Specifications



## Auxiliary contact, TeSys integral, 1 NO, Left side

LA1LC030

 Discontinued on: Dec 31, 2023

 Discontinued

Product availability: Non-Stock - Not normally stocked in distribution facility

### Main

Range	TeSys
Device short name	LA1LC
Product or Component Type	Auxiliary contact
Product Compatibility	LD4
Range compatibility	TeSys TeSys Integral LD4LD contactor breaker
Auxiliary contacts operation	Instantaneous
Pole contact composition	1 NO
Connections - terminals	screw clamp terminals 2 0.002 in <sup>2</sup> (1.5 mm <sup>2</sup> ) screw clamp terminals 1 0.004 in <sup>2</sup> (2.5 mm <sup>2</sup> )

### Complementary

Mounting Location	Left side
[Ui] rated insulation voltage	690 V
[Ith] conventional free air thermal current	3 A
Rated operational power in VA	160 VA 48 V AC-15 1500000 cycles 280 VA 440 V AC-15 1500000 cycles 300 VA 110...127 V AC-15 1500000 cycles 300 VA 48 V AC-15 1000000 cycles 330 VA 220...240 V AC-15 1500000 cycles 500 VA 110...127 V AC-15 1000000 cycles 500 VA 440 V AC-15 1000000 cycles 520 VA 380...415 V AC-15 1000000 cycles 600 VA 220...240 V AC-15 1000000 cycles
Rated operational power in W	120 W 24 V DC-13 1000000 cycles 150 W 48 V DC-13 1500000 cycles 28 W 440 V DC-13 1500000 cycles 33 W 220 V DC-13 1500000 cycles 38 W 110 V DC-13 1500000 cycles 61 W 440 V DC-13 1000000 cycles 68 W 220 V DC-13 1000000 cycles 70 W 24 V DC-13 1500000 cycles 75 W 110 V DC-13 1000000 cycles 90 W 48 V DC-13 1000000 cycles
Net Weight	0.077 lb(US) (0.035 kg)

### Environment

Environmental characteristic	Standard environment
------------------------------	----------------------

### Ordering and shipping details

Category	US10I1122384
----------	--------------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

Discount Schedule	0111
GTIN	3389110180169
Returnability	No
Country of origin	FR

---

## Packing Units

---

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.79 in (2.0 cm)
Package 1 Width	2.36 in (6.0 cm)
Package 1 Length	3.54 in (9.0 cm)
Package weight(Lbs)	1.9 oz (54.0 g)
Unit Type of Package 2	S02
Number of Units in Package 2	96
Package 2 Height	5.91 in (15.0 cm)
Package 2 Width	11.81 in (30.0 cm)
Package 2 Length	15.75 in (40.0 cm)
Package 2 Weight	12.392 lb(US) (5.621 kg)

---

## Contractual warranty

---

Warranty	18 months
----------	-----------



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

#### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant