

Specifications

Eaton EMAR42175000



Photo is representative

Eaton Crouse-Hinds series Pauluhn ECOS EMAR linear fluorescent light fixture,3/4" Plastic gland at one end,plugged entry,4 ft,Polycarbonate lens,T8 bi-pin,Fiberglass-reinforced polyester,2-lamp,Shock mount,120-277 Vac,32W

General specifications

PRODUCT NAME	Eaton Crouse-Hinds series Pauluhn ECOS EMAR linear fluorescent light fixture
CATALOG NUMBER	EMAR42175000
UPC	662276496361
PRODUCT LENGTH/DEPTH	53 in
PRODUCT HEIGHT	5.6 in
PRODUCT WIDTH	8.5 in
PRODUCT WEIGHT	17 lb

Certifications and compliances

AREA CLASSIFICATION	Ordinary/Non-Hazardous Locations
STANDARDS TYPE	NEC/CEC
NEMA RATING	4X
INGRESS PROTECTION (IP) RATINGS	IP66

Product specifications

LAMP TYPE	Fluorescent
LAMP LENGTH	4 ft
LIGHT TYPE	T8 bi-pin
VOLTAGE RATING	120-277 Vac
FREQUENCY RATING	50/60 Hz
MOUNTING	Shock mount
ENTRY SIZE	3/4"
ENTRY TYPE	Plastic gland at one end, plugged entry
WATTAGE	32W
NUMBER OF LAMPS	2-lamp
MATERIAL	Fiberglass-reinforced polyester
LENS MATERIAL	Polycarbonate

Resources

BROCHURES	Crouse-Hinds series Pauluhn ECOS Linear Fluorescent brochure
CATALOGS	Crouse-Hinds series Pauluhn ECOS Linear Fluorescent catalog page
CERTIFICATION REPORTS	Pauluhn ECOS Hazardous, Harsh and Marine Linear Fluorescent Light Fixtures UL certification
INSTALLATION INSTRUCTIONS	Pauluhn ECOS Hazardous, Harsh and Marine Linear Fluorescent Light Fixtures Canadian certification
SPECIFICATIONS AND DATASHEETS	IF LBL1579 - Pauluhn ECOS EMAR Series Linear Fluorescent
	Eaton Specification Sheet - EMAR42175000

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

