



Figure similar

LV HRC fuse base Sz. 2, 1-pole 400 A 690 V (1000 V) Double busbar terminal

Model			
product brand name		SENTRON	
product designation		LV HRC fuse system	
design of the product		LV HRC fuse base	
design of the thread of the connection screw		M10	
General technical data			
number of poles		1	
size of fuse system according to EN 60269-1		NH2	
utilization category		Without	
Supply voltage			
supply voltage			
• at AC		690 V	
• at DC		440 V	
Product details			
product component swivel-in mechanism		No	
maximum short-circuit current breaking capacity (Icu)			
• at AC rated value		120 kA	
• at DC rated value		25 kA	
Connections			
connectable conductor cross-section on box terminal			
• minimum		2.5 mm²	
• maximum		50 mm²	
tightening torque of the screw for securing the equipment maximum		2.5 N·m	
tightening torque with screw-type terminals maximum		38 N·m	
type of electrical connection		with twin bar connection	
• for main current circuit		flat connector	
Mechanical Design			
height		227 mm	
width		49 mm	
depth		90 mm	
fastening method		fixed mounting	
fastening method bus-mounting		No	
net weight		817 g	
Approvals Certificates			
General Product Approval		Test Certificates	other



[Type Test Certificates/Test Report](#)



other

Environment

[Confirmation](#)

Siemens
EcoTech



[Environmental Confirmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NH3320>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NH3320>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NH3320

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

last modified:

7/17/2025

