

Product data sheet

Specifications

SQUARE D



Circuit breaker, FA, 240V, 40A, 2 pole

FAL22040

! Discontinued on: Dec 8, 2020

! End-of-service on: Dec 31, 2020

! Discontinued

Main

Product or Component Type Circuit breaker

Trip Unit Technology Thermal-magnetic

Complementary

Line Rated Current 40 A

Number of Poles 2P

Breaking capacity code A

Mounting Mode Unit mount

Magnetic Hold Current 400 A

Magnetic Tripping Current 850 A

Electrical connection Lugs, load
Lugs, line

Terminal identifier AL100FA

Phase connection ABC

Height 6.4 in (162.6 mm)

Width 3 in (76.2 mm)

Depth 4.13 in (104.90 mm)

Circuit breaker application HACR rated

Environment

Certifications UL Listed
CSA

Ordering and shipping details

Category 00901-FAL 240V BREAKERS & SWITCH

Discount Schedule DE2

GTIN 785901254638

Returnability No

Country of origin MX

Packing Units

Unit Type of Package 1 PCE

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Nbr. of units in pkg. 1

Contractual warranty

Warranty 18 months

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

[EU RoHS Directive](#)

Not applicable, out of EU RoHS legal scope

California proposition 65

WARNING: This product can expose you to chemicals including: DINP, which is known to the State of California to cause cancer, and DIDP, which is known to the State of California to cause Birth Defects or other reproductive harm. For more information go to www.p65warnings.ca.gov