

Specifications

Eaton APX13L/UNV1 S903



Photo is representative

Eaton Crouse-Hinds series Pauluhn Apex linear LED light fixture, 3-lamp T5HO, 50/60 Hz, LED, Polycarbonate lens, 13000 lm, 106 lm/W, Aluminum, PF > 0.90, 120-277 Vac, 127-250 Vdc, 122W

General specifications

PRODUCT NAME	Eaton Crouse-Hinds series Pauluhn Apex linear LED light fixture
CATALOG NUMBER	APX13L/UNV1 S903
UPC	662276617506
PRODUCT LENGTH/DEPTH	40.61 in
PRODUCT HEIGHT	6.39 in
PRODUCT WIDTH	7.66 in
PRODUCT WEIGHT	23.41 lb

Certifications and compliances

AREA CLASSIFICATION	Ordinary/Non-Hazardous Locations
STANDARDS TYPE	NEC/CEC
NEMA RATING	4X
INGRESS PROTECTION (IP) RATINGS	IP66

Product specifications

LAMP TYPE	LED
LUMENS	13000
LUMENS PER WATT	106
VOLTAGE RATING	120-277 Vac, 127-250 Vdc
FREQUENCY RATING	50/60 Hz
LENS MATERIAL	Polycarbonate
MATERIAL	Aluminum
WATTAGE	122W
EQUIVALENT LUMINAIRE	3-lamp T5HO
POWER FACTOR	> 0.90

Resources

	Crouse-Hinds series industrial LED lighting solutions
BROCHURES	Crouse-Hinds series Pauluhn Apex LED Linear brochure - food and beverage
	Crouse-Hinds series Pauluhn Apex LED Linear brochure - industrial applications
	Crouse-Hinds series Global LED lighting portfolio
CATALOGS	Crouse-Hinds series Pauluhn Apex LED Linear catalog page
CERTIFICATION REPORTS	Champ Pro PFM LED, Pauluhn Apex Industrial LED, Industrial High Bay LED and Weatherproof LED Light Fixtures Canadian certification
	Champ Pro PFM LED, Pauluhn Apex Industrial LED, Industrial High Bay LED and Weatherproof LED Light Fixtures UL certification
	Pauluhn Apex Industrial Linear LED Light Fixtures NSF certification
INSTALLATION INSTRUCTIONS	IF 1820 - Pauluhn Apex LED Linear
SPECIFICATIONS AND DATASHEETS	Pauluhn APEX LED Linear Eaton Specification Sheet - APX13L/UNV1 S903

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

Follow us on social media to get the latest product and support information.

