

Specifications



Photo is representative

Eaton EIDD3400

Eaton Crouse-Hinds series EID disconnect switch, 400A, With switch, Non-fused, 50 HP/125 HP/250 HP/350 HP, Copper-free aluminum, 240-600 Vac/250 Vdc

General specifications

PRODUCT NAME	Eaton Crouse-Hinds series EID disconnect switch
CATALOG NUMBER	EIDD3400
UPC	662276490598
PRODUCT LENGTH/DEPTH	17.19 in
PRODUCT HEIGHT	41.22 in
PRODUCT WIDTH	13.49 in
PRODUCT WEIGHT	258 lb

Certifications and compliances

AREA CLASSIFICATION Hazardous/Classified Locations

STANDARDS TYPE NEC/CEC

NEC HAZARDOUS RATING Class I, Division 1
Class I, Zone 1
Class I, Division 2
Class I, Zone 2
Class II, Division 1
Class III

NEMA RATING 3
3R
4
7
9

Resources

3D CAD DRAWING PACKAGE [Eaton Crouse-Hinds EIDD3400 3D drawing](#)

3D MODELS [SP3D Design Package - EID Explosionproof Compact Disconnect Switches](#)

BROCHURES [EID Series Explosionproof, Compact Disconnect Switches Brochure](#)

CATALOGS [EID Series Explosionproof, Compact Disconnect Switches catalog page](#)

CERTIFICATION REPORTS [EID Explosionproof, Compact Disconnect Switches Canadian certification](#)

[EID Explosionproof, Compact Disconnect Switches UL certification](#)

INSTALLATION INSTRUCTIONS [IF 1697 - EID 200A and 400A Disconnect](#)

[IF 1532 - EID Disconnect Assembly](#)

SPECIFICATIONS AND DATASHEETS [Eaton Specification Sheet - EIDD3400](#)

[EID Explosionproof Disconnect Switches](#)

Product specifications

ENCLOSURE TYPE With switch

FUSING Non-fused

AMPERAGE RATING 400A

HORSEPOWER 50 hp/125 hp/250 hp/350 hp

MATERIAL Copper-free aluminum

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

Follow us on social media to get the latest product and support information.

