

# Specifications



## Eaton APX25L/UNV1 S903

Eaton Crouse-Hinds series Pauluhn Apex linear LED light fixture, 6-lamp T5HO, 50/60 Hz, LED, Polycarbonate lens, 25000 lm, 115 lm/W, Aluminum, PF > 0.90, 120-277 Vac, 127-250 Vdc, 217W

### General specifications

|                             |                                                                 |
|-----------------------------|-----------------------------------------------------------------|
| <b>PRODUCT NAME</b>         | Eaton Crouse-Hinds series Pauluhn Apex linear LED light fixture |
| <b>CATALOG NUMBER</b>       | APX25L/UNV1 S903                                                |
| <b>UPC</b>                  | 662276618411                                                    |
| <b>PRODUCT LENGTH/DEPTH</b> | 52.84 in                                                        |
| <b>PRODUCT HEIGHT</b>       | 6.39 in                                                         |
| <b>PRODUCT WIDTH</b>        | 7.66 in                                                         |
| <b>PRODUCT WEIGHT</b>       | 31.28 lb                                                        |

## Certifications and compliances

|                                 |                                  |
|---------------------------------|----------------------------------|
| AREA CLASSIFICATION             | Ordinary/Non-Hazardous Locations |
| STANDARDS TYPE                  | NEC/CEC                          |
| NEMA RATING                     | 4X                               |
| INGRESS PROTECTION (IP) RATINGS | IP66                             |

## Product specifications

|                      |                          |
|----------------------|--------------------------|
| LAMP TYPE            | LED                      |
| LUMENS               | 25000                    |
| LUMENS PER WATT      | 115                      |
| VOLTAGE RATING       | 120-277 Vac, 127-250 Vdc |
| FREQUENCY RATING     | 50/60 Hz                 |
| LENS MATERIAL        | Polycarbonate            |
| MATERIAL             | Aluminum                 |
| WATTAGE              | 217W                     |
| EQUIVALENT LUMINAIRE | 6-lamp T5HO              |
| POWER FACTOR         | > 0.90                   |

## Resources

### BROCHURES

[Crouse-Hinds series  
Pauluhn Apex LED Linear  
brochure - food and  
beverage](#)

[Crouse-Hinds series  
Global LED lighting  
portfolio](#)

[Crouse-Hinds series  
Pauluhn Apex LED Linear  
brochure - industrial  
applications](#)

[Crouse-Hinds series  
industrial LED lighting  
solutions](#)

### CATALOGS

[Crouse-Hinds series  
Pauluhn Apex LED Linear  
catalog page](#)

### CERTIFICATION REPORTS

[Champ Pro PFM LED,  
Pauluhn Apex Industrial  
LED, Industrial High Bay  
LED and Weatherproof  
LED Light Fixtures UL  
certification](#)

[Champ Pro PFM LED,  
Pauluhn Apex Industrial  
LED, Industrial High Bay  
LED and Weatherproof  
LED Light Fixtures  
Canadian certification](#)

[Pauluhn Apex Industrial  
Linear LED Light Fixtures  
NSF certification](#)

### INSTALLATION INSTRUCTIONS

[IF 1820 - Pauluhn Apex  
LED Linear](#)

### SPECIFICATIONS AND DATASHEETS

[Pauluhn APEX LED Linear](#)  
[Eaton Specification Sheet -  
APX25L/UNV1 S903](#)

|                 |
|-----------------|
| PROJECT NAME:   |
| PROJECT NUMBER: |
| PREPARED BY:    |
| DATE:           |



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

