

Specifications



Photo is representative

Eaton EVLLA7LC0-UNV1

Eaton Crouse-Hinds series Hazard-Gard EVLLA explosionproof LED light fixture, Cool white, 150W-175W HID equivalent, No guard, Shatter-resistant glass lens, 7000 lumens, 110 lm/W, Copper-free aluminum, No mounting module, 120-277 Vac, 81W

General specifications

PRODUCT NAME	Eaton Crouse-Hinds series Hazard-Gard EVLLA LED light fixture
CATALOG NUMBER	EVLLA7LC0-UNV1
UPC	662276950313
PRODUCT LENGTH/DEPTH	15.9 in
PRODUCT HEIGHT	11.97 in
PRODUCT WIDTH	15.9 in
PRODUCT WEIGHT	51.81 lb



Powering Business Worldwide

Certifications and compliances

AREA CLASSIFICATION	Hazardous/Classified Locations
STANDARDS TYPE	NEC/CEC
NEC HAZARDOUS RATING	Class I, Division 1 Class II, Division 1 Class III
NEMA RATING	4X
INGRESS PROTECTION (IP) RATINGS	IP66

Product specifications

LUMENS	7000
LUMENS PER WATT	110
COLOR TEMPERATURE	Cool white
MOUNTING METHOD	No mounting module
EQUIVALENT LUMINAIRE	150W-175W HID
GUARD TYPE	No guard
VOLTAGE RATING	120-277 Vac
FREQUENCY RATING	50/60 Hz
MATERIAL	Copper-free aluminum
LENS MATERIAL	Shatter-resistant glass
WATTAGE	81W
DIMMING	Dimmable driver
POWER FACTOR	> 0.90

Resources

[Crouse-Hinds series DLC approved lighting products](#)

BROCHURES [Crouse-Hinds series Hazard-Gard EVLL LED brochure](#)

[Crouse-Hinds series Global LED lighting portfolio](#)

CATALOGS [Crouse-Hinds series Hazard-Gard EVLLA LED catalog page](#)

[Hazard-Gard EVLLA Explosionproof LED Light Fixtures UL certification](#)

CERTIFICATION REPORTS [Hazard-Gard EVLLA Explosionproof LED Light Fixtures Canadian certification](#)

INSTALLATION INSTRUCTIONS [IF 1914 - EVLLA Hazard-Gard LED Luminaire Driver Replacement](#)

[IF 1913 - EVLLA Hazard-Gard LED Luminaire](#)

SPECIFICATIONS AND DATASHEETS [Hazard-Gard EVLL LED Explosionproof](#)
[Eaton Specification Sheet - EVLLA7LC0-UNV1](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

Follow us on social media to get the latest product and support information.

