

Specifications

Eaton CRC15034CD



Photo is representative

Eaton Crouse-Hinds series PowerMate CRC connector, 150A, 0.875-1.906", Three-wire, four-pole, Style 2, Copper-free aluminum, 600 Vac/250 Vdc

General specifications

| | |
|-----------------------------|---------------------------------------------------|
| PRODUCT NAME | Eaton Crouse-Hinds series PowerMate CRC connector |
| CATALOG NUMBER | CRC15034CD |
| UPC | 662276277250 |
| PRODUCT LENGTH/DEPTH | 11.5 in |
| PRODUCT HEIGHT | 3.44 in |
| PRODUCT WIDTH | 3.44 in |
| PRODUCT WEIGHT | 2.2 lb |

Certifications and compliances

| | |
|----------------------------|----------------------------------|
| AREA CLASSIFICATION | Ordinary/Non-Hazardous Locations |
| STANDARDS TYPE | NEC/CEC |
| NEMA RATING | 4X |

Resources

3D CAD DRAWING PACKAGE [Eaton Crouse-Hinds CRC15034CD 3D drawing](#)

BROCHURES [PowerMate Drilling Pin and Sleeve Devices brochure](#)

CATALOGS [PowerMate Drilling Pin and Sleeve Devices catalog page](#)

CERTIFICATION REPORTS [PowerMate Drilling Pin and Sleeve Devices UL certification \(Plugs and Connectors\)](#)

[PowerMate Drilling Pin and Sleeve Devices cUL certification \(Plugs and Connectors\)](#)

INSTALLATION INSTRUCTIONS [IF 1834 - PowerMate Pin and Sleeve Devices with Nested Bushing](#)

[IF 1632 - 30, 60, 100 and 150A PowerMate Pin and Sleeve Devices](#)

SPECIFICATIONS AND DATASHEETS [PowerMate Connectors](#)
[Eaton Specification Sheet - CRC15034CD](#)

Product specifications

| | |
|------------------------|-----------------------|
| AMPERAGE RATING | 150A |
| GROUNDING TYPE | Style 2 |
| CONFIGURATION | Three-wire, four-pole |
| CABLE DIAMETER | 0.875-1.906" |
| VOLTAGE RATING | 600 Vac/250 Vdc |
| MATERIAL | Copper-free aluminum |

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

Follow us on social media to get the latest product and support information.



© 2025 Eaton. All Rights Reserved.