

Product data sheet

Specifications

SQUARE D



Transformer, Type TF, industrial control, 1 phase, 1000VA, 380/400/415V primary, 115/230V secondary, 50/60Hz

9070TF1000D33

Product availability: Non-Stock - Not normally stocked in distribution facility

Complementary

Power Rating	1000 VA UL 1000 VA CSA 1000 VA NOM 600 VA CE
Primary to Secondary Voltage	380/400/415 V 115/230 V
Fuse type	0.41 x 1.50 in CC top
Temperature rise	115 °C
Height	5.73 in (145.54 mm)
Width	5.25 in (133.35 mm)
Depth	6.04 in (153.42 mm)
Material	Copper: winding

Environment

Product Certifications	CE UL listed file E61239 CSA file LR37055 guide 184-N-90
Insulation temperature	356 °F (180 °C)

Ordering and shipping details

Category	US10CP816207
Discount Schedule	0CP8
GTIN	785901397960
Returnability	No
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.50 in (16.51 cm)
Package 1 Width	8.50 in (21.59 cm)
Package 1 Length	8.00 in (20.32 cm)
Package 1 Weight	20.999 lb(US) (9.525 kg)

Contractual warranty

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Warranty

18 months

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant with Exemptions

REACH Regulation

[REACH Declaration](#)

California proposition 65

WARNING: This product can expose you to chemicals including: Phenyl glycidyl ether, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

PVC free

Yes

Use Again

Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No